ELEMAX SH20D & SH15D

Models			SH20D	SHT25D	
Type			LD	R	S
Generator	Frequency (Hz)		60	50	60
	Type		Self-exciting,	4-pole, Brushless, Field Rotating Type	
	Phase		Single	Three	
	Voltage Regulation System		AVR		
	AC Output	Rated Power (KVA) 50Hz	20		-
		Rated Power (KVA) 60Hz	-	-	22
		Rated Voltage (V)	120/240	Three Phase : 380	
				Single Phase : 220	
	Rated Power Factor (cosϕ)		1.0	0.8	
Engine	Maker		Kubota		
	Model		V2203-B		
	Displacement (CC)		2197		
	Maximum Horse Power (PS)		32.2(1,800rpm)		
	Starting System		Electric Starter		
Others	L x W x H (mm)		1660 x 690 x 900		
	Dry Weight (kg)		540		
	Fuel Tank Capacity (liters)		72		
		50Hz	-	66.0	-

ELEMAX SH20D & SH15D

	Sound Level [dB(A)/7m]	60Hz	72.0	-	71.0
	Continuous Operating Hours (hr)	50Hz	-	17.6	-
		60Hz	14.3	-	15.2
	Volt Meter		YES		
	Ampere Meter		-	YES	
	Hour Meter		YES		
	Warning Lights		Indicator lights (4-conditions)		
	Output		Terminal & Socket	Terminal	
	ATS Terminals		YES		

Models			SH15D		SHT15D	SHT17D
Type			R	D	R	S
Generator	Frequency (Hz)		50	60	50	60
	Type		Self-exciting,		2-pole, Field Rotating Type	
	Phase		Single		Three	
	Voltage Regulation System		AVR			
	AC Output	Rated Power (KVA) 50Hz	12	-	15	-
		Rated Power (KVA) 60Hz	-	13	-	16
		Rated Voltage (V)	220	120 / 240	Three Phase : 380	
					Single Phase : 220	
	Rated Power Factor (cosϕ)		1.0		0.8	
Engine	Maker		KUBOTA			

ELEMAX SH20D & SH15D

	Model		D1005			
	Displacement (CC)		1001			
	Maximum Horse Power (PS)		26(3,600rpm)			
	Starting System		Electric Starter			
Others	L x W x H (mm)		1474 x 698 x 869			
	Dry Weight (kg)		387			
	Fuel Tank Capacity (liters)		53			
	Sound Level [dB(A)/7m]	50Hz	68	-	68	-
		60Hz	-	71	-	71
	Continuous Operating Hours (hr)	50Hz	10.8	-	11.8	-
		60Hz	-	9.0	-	9.0
	Volt Meter		YES			
	Ampere Meter		YES			
	Frequency Meter		NO			
	Hour Meter		YES			
	Warning Lights		Indicator lights (4-conditions)			
	Output		Plug Socket x 2			
	ATS Terminals		YES			
	Caster		Option			